

# INDEX MAPS.

## T. 23N, R. 7E. 2<sup>nd</sup> Mer.

				180	180	179		
6	5	4	3	188	2	184	1	179
				188	188	183		
7	8	9	10	187	11	183	12	179
				187	187	182		
18	17	16	15	187	14	182	13	178
				186	186	182		
19	20	21	22	186	23	182	24	178
				185	185	181		
30	29	28	27	185	26	181	25	178
				185	184	181		
31	32	33	34	184	35	180	36	177
				177	177	177		

## T. 24N, R. 7E. 2<sup>nd</sup> Mer.

				194	194	193		
6	5	4	3	201	2	197	1	193
				202	201	197		
7	8	9	10	200	11	197	12	193
				202	200	197		
18	17	16	15	200	14	196	13	193
				202	199	196		
19	20	21	22	199	23	196	24	192
				202	199	195		
30	29	28	27	199	26	195	25	192
				201	198	195		
31	32	33	34	198	35	194	36	192
				191	191	191		

The figures on the lines refer to the page.

Township Lines.

Ch. 9th.

South Boundary.

Bearings at corner of T. 22 & 23 N, R. 7 & 8 E.  
an Ash 10 in. dia. bears S 44 E 13 Ws. dist. 2

a — 12 " " " S 89 W 23 " "

West on the S. Boundary of Sec. 36

40.00 set of sec. post from which

an Elm 6 in. dia. bears S 77 E 12 Ws. dist. 2

a Do 14 " " " N 36 W 11 " "

80.00 set post cor. of sec. 35 & 36 from which

an Ash 8 in. dia. bears S 70 W 25 Ws. dist. 2

an Elm 7 " " " N 42 W 15 " "

Over level land. Timber Elm, Ash, Oak &c.

---

West on the S. Boundary of Sec. 35

40.00 set of sec. post from which

an Ash 7 in. dia. bears N 51 E 9 Ws. dist. 2

an Oak 10 " " " S 42 W 19 " "

80.00 set post cor. of sec. 34 & 35 from which

an Ash 8 in. dia. bears N 64 E 18 Ws. dist. 2

a Do 9 " " " S 41 W 3 " "

Land &c. same as last described.

---

West on the S. Boundary of Sec. 34

40.00 set of sec. post from which

a Beech 7 in. dia. bears S 56 E 5 Ws. dist. 2

a Lym 20 " " " N 75 W 20 " "

44.11 Intersect E. Boundary of Miami Reservation,  
set post from which

an Oak 22 in. dia. bears N 23 E 4 Ws. dist. 2

a Lym 7 " " " S 19 W 3 " "

Land &c. same as last described.

---

East Boundary. Var. 6. 10. E  
North on the East Boundary of Sec. 36  
18.17 an Ash 15 in. dia.



T. 23 N., R. 7 E. 2. Mer. Ind.<sup>a</sup>

Chs. 10?

40.00 set of sec. post from which  
an Ash 8 in. dia. bears S 17 E 23 W. dist. 8  
a Spr 18 " " " N 35 W 41 " "

61.89 a Cottonwood 18 in. dia.

80.00 set post cor. of sec. 25 & 36 from which  
an Oak 36 in. dia. bears S 58 W 9 W. dist. 8  
an Ironwood 8 " " " N 55 W 15 " "

Over good farming land. Timber Beech, Ash,  
Oak & Upr. Spruce

North on the E. Boundary of Sec. 25

30.15 an W. Oak 30 in. dia.

40.00 set of sec. post from which  
an Ironwood 7 in. dia. bears S 41 E 8 W. dist. 8  
a Beech 10 " " " N 8 W 75 " "

58.32 a Poplar 12 " "

80.00 set post cor. of sec. 24 & 25 from which  
a Spr 15 in. dia. bears S 34 W 20 W. dist. 8  
an Ash 10 " " " N 34 E 14 " "  
Land &c same as last described.

North on the E. Boundary of Sec. 24

29.85 a Hickory 13 in. dia.

40.00 set of sec. post from which  
a Beech 8 in. dia. bears S 25 W 30 W. dist. 8  
an Oak 30 " " " S 37 E 20 " "

72.58 a Beech 12 " "

80.00 set post cor. of sec. 13 & 24 from which  
a Sugar 18 in. dia. bears S 38 W 4 W. dist. 8  
a Beech 8 " " " N 30 E 9 " "  
Land &c same as last described.

North on the E. Boundary of Sec. 13

19.22 an Oak 16 in. dia.

40.00 set of sec. post from which  
a Beech 8 in. dia. bears S 20 E 33 W. dist. 8

T. 23 N., R. 7 E. 2<sup>d</sup> Mer. Ind. a

179

Chas. M.

a Beech 6 in. dia. bears N 15 W 12 Ws., dist.  
67.10 an Ash 10 " "  
80.00 set port cor. of sec. 12 & 13 from which  
an Ash 24 in. dia. bears S 46 E 9 Ws., dist. 8  
an Oak 12 " " " S 57 W 8 " "  
Land &c. same as last described.

---

North on the E. Boundary of Sec. 12

27.13 a Beech 12 in. dia.  
40.00 set g. sec. port from which  
a Beech 12 in. dia. bears S 15 E 17 Ws., dist. 8  
a Do 12 " " " N 5 E 45 " "  
59.76 a Beech 12 " "  
80.00 set port cor. of sec. 10 & 12 from which  
a Beech 8 in. dia. bears N 83 E 11 Ws., dist. 8  
a Hickory 20 " " " S 58 W 32 " "  
Land &c. same as last described.

---

North on the E. Boundary of Sec. 1

25.05 an W. Oak 24 in. dia.  
40.00 set g. sec. port from which  
an Oak 36 in. dia. bears S 24 W 6 Ws., dist. 8  
a Beech 10 " " " N 12 W 25 " "  
46.55 an Oak 14 " "  
80.00 Intersect N. Boundary & set port cor. of S.  
23 & 24 N., R. 7 & 8 E. from which  
an Ash 10 in. dia. bears S 78 W 11 Ws., dist. 8  
an W. Oak 48 " " " S 62 E 17 " "  
Land &c. same as last described.  
January 4. 1820

---

North Boundary, Var. E. 15' E.

West on the S. Boundary of Sec. 30, T. 24 N., R. 7 E

12.00 a Beech 20 in. dia.  
18.00 a creek 50 Ws. wide runs N E  
40.00 set g. sec. port from which

T. 23 N., R. 7 E., S. 1 Mer. Ind.<sup>a</sup>  
 Chas. E. M.

a Hickory 7 in. dia. bears S 66 E 27 Ws. dist. 3  
 an Ash 8 " " " S 63 W 22 " "  
 58.30 a Branch 20 Ws. wide course N E  
 59.03 an Ash 18 in. dia.  
 80.00 set part cen. of sec. 35 & 36 from which  
 an Elm 24 in. dia. bears N 37 E 18 Ws. dist. 3  
 a Do 12 " " " S 29 W 22 " "  
 Rich land. Trinker Beech, Sugar, Ash &  
 Wgs. Spice

West on the S. Boundary of Sec. 35, T. 24 N., R. 7 E

40.00 set gr. sec. part from which  
 a Poplar 9 in. dia. bears S 83 E 19 Ws. dist. 3  
 a B. Oak 30 " " " N 73 W 21 " "

50.50 a Sugar 12 " "

80.00 set part cen. of sec. 34 & 35 from which  
 an Ash 6 in. dia. bears S 50 E 6 Ws. dist. 3  
 a Do 6 " " " N 57 W 15 " "  
 Land &c. same as last described.

West on the S. Boundary of Sec. 34, T. 24 N., R. 7 E

38.04 Intersect E. Boundary of Miami Reserve,  
 set part from which  
 an Ash 24 in. dia. bears S 53 W 12 Ws. dist. 3  
 a W. Oak 12 " " " S 86 E 17 " "

(Description of land &c. omitted)

April 1820 John M. Donald  
 Deputy Surveyor.

Subdivisions. Var. E. 10 E

North between Sec. 35 & 36

40.00 set gr. sec. part from which  
 a Beech 8 in. dia. bears N 25 E 8 Ws. dist. 3  
 an Ash 24 " " " S 34 W 28 " "

80.00 set part cen. of sec. 25, 26, 35 & 36 from which  
 a Sap. Ash 12 in. dia. bears N 45 E 14 Ws. dist. 3

T. 23 N., R. 7 E. 2. Mer. Ind. a

Ch. 1st

a Cottonwood 24 in. diam. bears S 61° W 25 Ws. dist.  
 Sand level 2<sup>nd</sup> rate. Timber Beech, Ash, Oak  
 Upr. Spice & Prickly Ash

East on Random between Sec. 25 & 36

40.00 set temp. gr. sec. post

79.18 Intersect E. Boundary 62 Ws. N. of post -  
 Sand level & rich. Timber Oak, Ash, Walnut  
 Upr. Spice & Prickly Ash

West Corrected between Sec. 25 & 36

39.59 set gr. sec. post at aver. dist. from which  
 a Beech 14 in. diam. bears S 88° W 29 Ws. dist. 8  
 a Ironwood 6 " " " S 80° W 20 " "  
 79.18 to sec. cor.

North between Sec. 25 & 26

40.00 set gr. sec. post from which  
 a Beech 12 in. diam. bears N 41° E 27 Ws. dist. 8  
 a R. Oak 30 " " " S 45° W 20 " "  
 80.00 set post cor. of sec. 23, 24, 25 & 26 from which  
 a R. Oak 8 in. diam. bears N 72° E 12 Ws. dist. 8  
 a Hickory 20 " " " S 30° W 11 " "  
 Sand level 2<sup>nd</sup> rate. Timber Beech, Oak,  
 Hickory. Upr. Spice & Prickly Ash

East on Random between Sec. 24 & 25

40.00 set temp. gr. sec. post

80.00 Intersect E. Boundary 60 Ws. N. of post -  
 Sand level 2<sup>nd</sup> rate. Beech, Ash, Elm, Spice &

West Corrected between Sec. 24 & 25

40.00 set gr. sec. post at aver. dist. from which  
 a Elm 12 in. diam. bears N 43° W 33 Ws. dist. 8  
 a Beech 10 " " " S 43° E 13 " "  
 80.00 to sec. cor.



## T. 23 N., R. 7 E. 2. Mer. Ind. a

Ch. Sp.

North between Sec. 23 &amp; 24

40.00 set gp. sec. post from which  
an Ash 14 in. dia. bears N10E 14 Ws. dist. 8

a Honey Locust 10 " " S31W42 " "

" " a Brook 20 Ws. wide course NW. E &amp; W

57.00 same Brook 20 Ws. wide course E

70.00 do 20 " " " W

80.00 set post cor. of sec. 13, 14, 23 &amp; 24 from which

a Poplar 12 in. dia. bears North 16 Ws. dist. 8

an Ash 8 " " " S18E 15 " "

Land level & rich. Timber Beech, Sugar, Ash  
Wyr. Spice & Pawpaw

East on Random between Sec. 13 &amp; 24

40.00 set temp. gp. sec. post

80.11 Intersect E. Boundary 38 Ws. E. of post -

Land level &amp; rich. Oak, Sugar, Beech, Spice

West Corrected between Sec. 13 &amp; 24

40.05 set gp. sec. post at aver. dist. from which

a Beech 6 in. dia. bears N59W31 Ws. dist. 8

a Do 10 " " " S20E 9 " "

80.11 to sec. cor.

North between Sec. 13 &amp; 14

40.00 set gp. sec. post from which

a Sugar 15 in. dia. bears S51E 26 Ws. dist. 8

a R. Oak 30 " " " N33W31 " "

80.00 set post cor. of sec. 11, 12, 13 &amp; 14 from which

a Hop. Ash 6 in. dia. bears S64E 9 Ws. dist. 8

a Do 6 " " " N64W7 " "

Land level &amp; rich. Beech, Sugar, Ash, Spice

East on Random between Sec. 12 &amp; 13

40.00 set temp. gp. sec. post

43.00 enter wet Prairie



T. 23 N., R. 7 E. 2<sup>d</sup> Mer. Ind<sup>a</sup>  
Chs. Sh.

47.00 leave Prairie

79.86 Intersect E. Boundary 23 Ws. N. of post -  
Good farming land. Beech, Sugar, Ash, Spice W.

West Connected between Sec. 12 & 13

39.93 set q. sec. post at aver. dist. from which  
a Maple 12 in. dia. bears N 48° W 13 Ws. dist. 8  
a Sap. Oak 12 " " " S 48° E 36 " "

79.86 to sec. cor.

North between Sec. 11 & 12

40.00 set q. sec. post from which  
a Sugar 18 in. dia. bears N 50° E 22 Ws. dist. 8  
a Beech 12 " " " S 83° W 17 " "

67.00 a Brook 6 Ws. wide course E

69.00 a Stream 20 " " " E. muddy

80.00 set post cor. of sec. 1, 2, 11 & 12 from which  
a Beech 6 in. dia. bears S 56° E 18 Ws. dist. 8  
a Ash 12 " " " N 24° W 24 " "  
Land level good 2<sup>d</sup> rate. Beech, Sugar, Ash  
Spice

East on Random between Sec. 1 & 12

12.00 a Stream 25 Ws. wide course N.

18.00 a Brook 10 " " " N.

40.00 set temp. q. sec. post

62.00 a Stream 15 Ws. wide course N.

79.86 Intersect E. Boundary 12 Ws. N. of post -  
Land level 2<sup>d</sup> rate. Timber Oak, Ash, Hickory.  
Brushy, Spice W.

West Connected between Sec. 1 & 12

39.93 set q. sec. post at aver. dist. from which  
a Sugar 12 in. dia. bears N 42° E 7 Ws. dist. 8  
a Hickory 20 " " " S 12° E 18 " "

79.86 to sec. cor.

T. 23 N., R. 7 E. 2. Mer. Ind. a

Chp. Sp.

North between Sec. 1 & 2

40.00 set q. sec. post from which  
an Ironwood 6 in. dia. bears N 50 W 8 1/2 Ms. dist. 8  
a R. Elm 8 " " " S 54 E 15 " "

80.00 Intersect N. Boundary 31 Ms. E. of post -  
set post at intersection cor. of sec. 1 & 2 from which  
a W. Elm 30 in. dia. bears N 54 W 20 1/2 Ms. dist. 8  
a Do 30 " " " S 54 E 8 " "  
Land good level 2<sup>d</sup> rate. Timber Beech, Sugar,  
Ash. Upr. Spice

North between Sec. 34 & 35

40.00 set q. sec. post from which  
a Sycamore 18 in. dia. bears N 29 E 12 1/2 Ms. dist. 8  
a Sup. Ash 6 " " " S 10 W 21 " "

80.00 set post cor. of sec. 26, 27, 34 & 35 from which  
a Sup. Ash 6 in. dia. bears N 78 W 28 1/2 Ms. dist. 8  
a W. Elm 24 " " " S 48 E 9 " "  
Land level 2<sup>d</sup> rate. Timber Beech, Sugar, Ash  
Upr. Spice & Prickly Ash

East on Random between Sec. 26 & 35

40.00 set temp. q. sec. post

80.00 Intersect N. G. line 18 Ms. N. of post -  
Land level 2<sup>d</sup> rate. Beech, Ash, Oak, Spice

West Corrected between Sec. 26 & 35

40.00 set q. sec. post at aver. dist. from which  
a R. Elm 8 in. dia. bears N 5 E 18 1/2 Ms. dist. 8  
an Ash 20 " " " S 5 W 21 " "

80.00 to sec. cor.

West between Sec. 27 & 34

13.00 a Stream 20 Ms. wide course N E

21.00 a Do 15 " " " S E

36.00 a Do 15 " " " N E

T. 23 N., R. 7 E., S. 2 Mer. Ind.?

Ch. & Lk?

40.00 set gr. sec. post from which  
 a W. Elm 8 in. dia. bears N 65° W 13 Ws. dist. 8  
 a Do 12 " " " S 82° E 35 " "  
 44.00 Intersect E. Boundary of Miami Reservation,  
 set post from which  
 a Maple 18 in. dia. bears S 66° W 12 Ws. dist. 4  
 a W. Elm 10 " " " N 66° E 20 " "  
 Land level 2<sup>d</sup> rate. Timber Oak, Ash, Elm

North between Sec. 26 & 27

14.00 a Stream 20 Ws. wide course NE  
 40.00 set gr. sec. post from which  
 a Beech 24 in. dia. bears N 48° W 34 Ws. dist. 8  
 a W. Oak 15 " " " S 79° E 11 " "  
 80.00 set post cor. of sec. 22, 23, 26 & 27 from which  
 a B. Walnut 24 in. dia. bears East 19 Ws. dist. 8  
 a Beech 10 " " " N 64° W 5 " "  
 Good farming land, level. Timber Beech,  
 Ash, Oak, Sugar. Wgs. Spice

East on Random between Sec. 23 & 26

35.00 a Stream 20 Ws. wide course N  
 40.00 set temp. gr. sec. post  
 79.80 Intersect N & S. line 28 Ws. N. of post -  
 Land level 2<sup>d</sup> rate. Beech, Ash, Oak. Spice &c

West Corrected between Sec. 23 & 26

39.90 set gr. sec. post at aver. dist. from which  
 an Ash 20 in. dia. bears S 62° W 16 Ws. dist. 8  
 a Do 5 " " " N 41° W 23 " "  
 79.80 to sec. cor.

West between Sec. 22 & 27

40.00 set gr. sec. post from which  
 a Walnut 30 in. dia. bears S 49° W 23 Ws. dist. 8  
 an Ash 12 " " " N 55° E 13 " "

T. 23 N., R. 7 E., S. 1 Mer. Ind.<sup>a</sup>  
 Chas. Sk.

42.50 Intersect E. Boundary of Miami Reservation,  
 set part from which  
 a Poplar 20 in. dia. bears N 68° W 33 Ws. dist. 8  
 a P. Oak 24 " " " S 42° E 36 " "  
 Land level good 2<sup>d</sup> rate. Beech, Ash, Sugar

North between Sec. 22 & 23

40.00 set gr. sec. part from which  
 a Beech 14 in. dia. bears N 32° E 17 Ws. dist. 8  
 a Do 14 " " " S 52° W 41 " "  
 80.00 set part cor. of sec. 14, 15, 22 & 23 from which  
 a W. Oak 16 in. dia. bears N 12° W 32 Ws. dist. 8  
 a Hickory 8 " " " S 12° E 24 " "  
 Land level 2<sup>d</sup> rate. Beech, Ash, Oak, Spice

East on Pradon between Sec. 14 & 23

40.00 set temp. gr. sec. part  
 68.00 a stream 20 Ws. wide come N. current slow  
 79.81 Intersect N. H. line 28 Ws. N. of part—  
 Land level good 2<sup>d</sup> rate. Timber Beech, Ash,  
 Oak. Wp. Spice

West Connected between Sec. 14 & 23

39.90 set gr. sec. part at aver. dist from which  
 a Poplar 30 in. dia. bears N. 5° E 33 Ws. dist. 8  
 a Beech 6 " " " S 5° E 2 " "  
 79.81 to sec. cor.

West between Sec. 15 & 22

40.00 set gr. sec. part from which  
 a W. Elm 18 in. dia. bears S 45° E 13 Ws. dist. 8  
 a Hickory 14 " " " N 68° W 33 " "  
 42.00 Intersect E. Boundary of Miami Reservation,  
 set part from which  
 a Sugar 12 in. dia. bears S 2° W 27 Ws. dist. 8  
 a Beech 6 " " " N 2° E 11 " "



*Chr. Sp.* T. 23 N., R. 7 E. 2. Mer. Ind. a

Sand level 2<sup>nd</sup> rate. Oak, Ash, Hickory. Spice

North between Sec. 14 & 15

40.00 set of sec. post from which

a Hickory 8 in. dia. bears N 52° W 10 W. dist. 8,

a Walnut 20 " " S 52° E 26 " "

75.00 a Stream 10 W. wide course E.

80.00 set post cor. of sec. 10, 11, 14 & 15 from which

a Beech 12 in. dia. bears N 9° E 28 W. dist. 2,

a Do 12 " " S 43° W 14 " "

Sand level & rich. Beech, Sugar, Walnut. Spice

East on Random between Sec. 11 & 14

11.00 a Brook 12 W. wide course N.

24.00 a Stream 20 " " " N.

40.00 set temp. of sec. post

80.00 Intersect N & S. line 33 W. N. of post -

Sand level 2<sup>nd</sup> rate. Oak, Ash, Hickory. Spice

West Corrected between Sec. 11 & 14

40.00 set of sec. post at aver. dist. from which

an Ash 12 in. dia. bears N 55° W 20 W. dist. 8,

a Sup. Ash 6 " " S 22° E 20 " "

80.00 to sec. cor.

West between Sec. 10 & 15

40.00 set of sec. post from which

a Hickory 15 in. dia. bears N 25° W 10 W. dist. 8,

a Beech 12 " " S 34° E 13 " "

41.00 Intersect E. Boundary of Miami Reservation,  
set post from which

a Beech 12 in. dia. bears S 57° W 31 W. dist. 8,

a Do 12 " " N 43° E 26 " "

Sand level & rich. Beech, Sugar, Ash, Spice

North between Sec. 10 & 11



T. 23 N., R. 7 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 E. 1<sup>st</sup> 1<sup>st</sup>

40.00 set of sec. post from which  
 a Sugar 14 in. dia. bears N 7 E 39 W. dist. 2  
 a Beech 16 " " " S 8 W 17 " "

80.00 set post cor. of sec. 2, 3, 10 & 11 from which  
 a Hickory 15 in. dia. bears S 84 E 16 W. dist. 2  
 a Maple 20 " " " N 84 W 28 " "  
 Land level 2<sup>d</sup> rate. Timber Oak, Hickory,  
 Ash, Bushy, Prickly Ash & Spice

East on Random between Sec. 2 & 11

40.00 set temp. of sec. post

80.00 Intersect N. & S. line at post—  
 Land level 2<sup>d</sup> rate. Timber Ash, Oak, Elm

West Corrected between Sec. 2 & 11

40.00 set of sec. post at aver. dist. from which  
 a Sugar 10 in. dia. bears N 36 E 33 W. dist. 2  
 a Beech 10 " " " S 59 W 25 " "

80.00 to sec. cor.

West between Sec. 3 & 10

39.80 Intersect E. Boundary of Miami Reservation,  
 set post from which  
 a Sycamore 30 in. dia. bears S 78 E 21 W. dist. 2  
 a W. Elm 18 " " " N 78 W 7 " "  
 Land level 2<sup>d</sup> rate. Timber Beech, Ash, Oak,  
 Wyr. Spice & Prickly Ash.

North between Sec. 2 & 3

40.00 set of sec. post from which  
 a Hop. Ash 8 in. dia. bears N 35 W 31 W. dist. 2  
 a Cottonwood 18 " " " S 29 E 30 " "

79.00 Intersect N. Boundary 23 W. of post—  
 set post at intersection cor. of sec. 2 & 3, from which  
 a W. Oak 16 in. dia. bears N 79 W 16 W. dist. 2  
 a Hickory 10 " " " S 48 E 23 " "

189  
T. 23 N., R. 7 E. 2. Mer. Ind. a

Land level & wet. Oak, Ash, Elm  
Surveyed in 1824 by James Worthington  
Deputy Surveyor.

---

I certify that the foregoing transcript  
of Field Notes of the survey of Township N.<sup>o</sup>  
23 North, of Range N.<sup>o</sup> 7 East of the 2<sup>d</sup> Prin-  
cipal Meridian, in the State of Indiana,  
has been compared with the original on file  
in this office, and found to be correct.

Survey General's Office,  
Cincinnati, March 6, 1845 }


William Johnston  
Sur. Genl.

# **INDEX MAPS.** **T.22 N. R.7 E. 2 <sup>d</sup> Mer.**

385	385	385	386		
388 6	402 5	395 4 <sup>2</sup>	391 3	2	1
401	401	395	391		
387 7	401 8	395 9	391 10	11	12
400	400	394	390		
387 18	399 17	394 16	390 15	14	13
399	398	393	390		
387 19	398 20	393 21	389 22	23	24
397	397	392	389		
386 30	396 29	392 28	388 27	26	25
386 36	S. Boundary of Reserve.				
31	32	33	34	35	36

# **T.23 N. R.7 E. 2 <sup>d</sup> Mer.**

406	407	407	408		
410 6	427 5	420 4	415 3	2	1
427	426	420	415		
410 7	426 8	419 9	414 10	11	12
426	425	419	414		
409 18	425 17	418 16	414 15	14	13
424	424	418	413		
409 19	423 20	417 21	413 22	23	24
423	422	417	412		
408 30	422 29	417 28	412 27	26	25
421	421	416	411		
408 31	420 32	416 33	411 34	35	36
405	405	405	406		

 The figures on the lines refer to the page.

Township No. 23 N. Range No. 7 E 2<sup>nd</sup> Mer. Indiana,  
Chs. No.

405

South Boundary.

Var. 4<sup>th</sup> 50' East

Whitcup's Cor. to Towns 22 & 23 N. R<sup>th</sup> 6<sup>th</sup> East

a Beech 8 in. diam. B<sup>th</sup> N. 40 E. 41 lbs. &

a Do 10 " " " " 4.38 W. 38 "

N. 89.35 E. On S. Boundary of Sec. 31

28.34 a W. Oak 20 in. diam.

43.00 Set 2<sup>nd</sup> Sec. post pr. wh.

a W. Oak 20 in. diam. B<sup>th</sup> N. 37 E. 13 lbs. dis.

a Lynn 8 " " " " N. 38 W. 27 " "

64.27 a Beech 10 " " "

83.00 Set post Cor. to Sec. 31 & 32 pr. wh.

a Beech 8 in. diam. B<sup>th</sup> N. 75 E. 4 lbs. dis.

" Do 8 " " " " N. 32 W. 27 " "

Land level first rate clay soil,  
Elm. Ash. Oak. Beech. Sugar. Hick. Lynn.  
Walnut Maple. — Spruce

N. 89.35 E. On S. Boundary of Sec. 32. Var. 4<sup>th</sup> 50' E.

18.42 a Lynn 10 in. diam.

40.00 Set 2<sup>nd</sup> Sec. post pr. wh.

a Beech 12 in. diam. B<sup>th</sup> N. 50 E. 32 lbs. dis.

a Do 12 " " " " N. 70 W. 42 " "

60.19 a Lynn 12 " " "

80.00 Set post Cor. to Sec. 32 & 33 pr. wh.

a B. Ash 12 in. diam. B<sup>th</sup> N. 75 E. 36 lbs. dis.

a Beech 8 " " " " N. 60 W. 17 " "

Land level first rate — Ash.  
Elm. Lynn. Hickory. Walnut. Beech.  
Sugar. Oak fr —

N. 89.35 E. On S. Boundary of Sec. 33

21.70 a W. Ash 20 in. diam.

40.00 Set 2<sup>nd</sup> Sec. post pr. wh.

a B. Ash 6 in. diam. B<sup>th</sup> N. 41 W. 46 lbs. dis.

an Elm 6 " " " " 4.60 E. 12 " "

T. 23 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana.  
ch. lks.

59.35 a Beech 8 in. diam.

80.00 Set post Cor. to Sec. 33 & 34 p. wh.

a W. Ash 10 in. diam. B. N. 15 E. 37 lks.

an Elm 6 " " " N. 65 W. 29 "

Land Surt first rate Timber  
Beech. Sugar. Ash. Elm. Oak. Lym.  
Maple. Hickory. Walnut. Sycamore &c

N. 89° 35' E. On S. Boundary. of Sec. 34. Var. 450' E.

23.49 a W. Oak 12 in. diam

30.50 a Road co. N. E.

35.89 Intersected Old Cor. on E. Boundary,  
of Reserve, and took new bearings.  
a Hickory 14 in. diam. B. N. 85 E. 55 lks.  
a Lym 8 " " " S. 19 W. 3 "

Land Surt and wt Timber  
elm. Ash. Oak. Lym. Hickory. Maple.  
Sycamore &c

North Boundary.

Var. 4.40' East

Witness Cor. to Towns 23 & 24 R. 6 & 7 East

a Beech 14 in. diam. B. N. 7 W. 53 lks. &

a Do 16 " " " S. 30 E. 49 "

N. 89° 30' E. On S. Boundary. of Sec. 31 T. 24 N. R. 7 E.

3.77 a Beech 8 in. diam.

42.55 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 12 in. diam. B. N. 68 E. 21 lks. dis

a Do 12 " " " S. 62 W. 16 " "

47.07 a W. Oak 12 " " Enters low wt Land N. & S.

57.00 a Trail N. & S.

62.00 a Stream 10 lks. wide co. Northernly  
sluggish Muddy Bottom

63.00 Land low wt Land N. & S.

82.55 Set post Cor. to Sec. 31 & 32 p. wh.

a Beech 12 in. diam. B. N. 51 W. 21 lks. dis



407

T. 23. N. R. 7 E. 2<sup>nd</sup> Mer. Indiana.

Chs. lks.

a Beech 10 in. diam. & N. 42 E. 24 lks.  
 Land level w<sup>th</sup> first rate  
 clay soil. - N. B. Ash. Maple. Elm. Oak.  
 Sycamore. Beech. Willow. Ironwood.  
 Lym. & - Spruce & P. Ash. -

N. 89. 30 E. On S. Boundary of Sec. 32. T. 24. N. R. 7 E.

428 a W. Oak 26 in. diam.

40.00 Set 2<sup>nd</sup> Sec. post p. w. h.

an Elm. 8 in. diam. & N. 1 E. 44 lks.

an Ironw. 6 " " " N. 13 E. 15 "

43.00 Enter low w<sup>th</sup> Land N. & S.

43.81 a B. Ash 10 in. diam.

50.00 Leave Low w<sup>th</sup> Land N. & S.

80.00 Set post Cor. to Sec. 32. & 33 p. w. h.

a B. Ash 8 in. diam. & N. 51 W. 34 lks. &

a Do 16 " " " N. 42 E. 5 "

Land level w<sup>th</sup> first rate -  
 clay soil. - N. B. Ash. Elm. Lym. Sycamore &

N. 89. 30 E. On S. Boundary of Sec. 33. T. 24. N. R. 7 E.

454 a Lym 8 in. diam.

40.00 Set 2<sup>nd</sup> Sec. post p. w. h.

a Beech 8 in. diam. & N. 65 E. 27 lks. dir.

a Do 8 " " " N. 29 E. 10 " "

46.54 a Sugar 14 " "

50.00 a Shaggyish Stream 8 lks. wide co. Southw<sup>th</sup>

72.30 Enter low w<sup>th</sup> Land N. & S.

80.00 Set post Cor. to Sec. 33 & 34 p. w. h.

an Elm 14 in. diam. & N. 61 E. 42 lks. &

a Maple 6 " " " N. 53 W. 18 "

Land level w<sup>th</sup> first rate clay  
 soil. - Timber with N. B. Ash. Elm. Lym.  
 Maple. Sugar Oak. Sycamore &  
 Spruce & P. Ash.

# T. 23 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana.

Chs. lks.

N. 89.30 E. On S. Boundary of Sec. 34. T. 24 N. R. 7 E.

6.66 an Elm 14 in. diam.

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 15 in. diam. B. N. 69 E. 27 lks. x

a Do 4 " " " N. 35 W. 44 "

41.46 Intersected E. Boundary of Resem at Old Cor. on this S. Boundary. — and took new bearings

a Beech 8 in. diam. B. N. 15 W. 37 lks. x

a B. Ash 20 " " " N. 53 W. 12 "

Land surveyed first rate  
clay soil — Beech, Maple, Sycamores  
Oak, W. B. Ash, Sycm. Elm &c —  
Spice & P. Ash — Nov. 15. 1846

Surveyed by John Mullett.

Depy. Surveyor

## West Boundary.

Var. 455 East

N. 10 W. On E. Boundary of Sec. 36. T. 23 N. R. 6 E.

22.60 a W. Oak 30 in. diam.

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 6 in. diam. B. N. 26 W. 29 lks. x

a Do 15 " " " N. 59 E. 30 " "

59.85 a Do 10 " " " "

80.00 Set post Cor. to Sec. 25 & 36 p. wh.

a Beech 6 in. diam. B. N. 54 W. 22 lks. x

a Sugar 4 " " " N. 85 W. 32 "

Land surveyed first rate — Clay  
soil — Beech, B. Walnut, Elm, Sycm.  
Ironw. W. Wood, Buckeye, Oak, Cherry  
W. B. Ash. — Spice &c —

N. 10 W. On E. Boundary of Sec. 25. T. 23 N. R. 6 E.

18.00 Enter B. Ash. Equal S. E.

21.80 an Elm 12 in. diam.

T. 23 N. R. 6 E. 2<sup>nd</sup> Mer. Indiana <sup>409</sup>

Chs. 46.

- 40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
a W. Ash, 12 in. diam. to S 32 W. 16 lks.  
an Elm 10 " " " N 47 E. 44 "  
58.00 Clear Gwahl. E & W.  
61.70 a W. Wood 10 in. diam.  
80.00 Set post Cor. to Sec. 24 & 25 p. wh.  
a Sugar 12 in. diam. to N 42 W. 20 lks.  
a Beech 12 " " " S 40 W. 74 "  
Land except Gwahl first rate  
Beech, Sugar, Oak, Irono. W. Wood,  
Lynn, Buckeye, Cherry, Boxwood &  
Spice &c —

- N. 10 W. On E. Boundary of Sec. 24 T. 23 N. R. 6 E.  
20.50 a Road E & W.  
20.80 a W. Ash 15 in. diam.  
40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
a B. Ash 10 in. diam. to S 50 E. 29 lks.  
a Beech 6 " " " S 71 W. 19 "  
49.00 a Stream 8 lks. wide co. W.  
61.50 a W. Wood 12 in. diam.  
72.00 a Stream 8 lks. wide co. W.  
80.00 Set post Cor. to Sec. 13 & 24 p. wh.  
a Beech 10 in. diam. to S 35 W. 13 lks.  
a Ho 10 " " " N 39 W. 33 "  
Land Lull first rate - rich  
clay soil - Beech, Sugar, Lynn, Irono.  
W. Wood, Elm, B. W. & Blue Ash, Oak,  
Sycamore &c — Nov. 24. 1846.

- N. 10 W. On E. Boundary of Sec. 13 T. 23 N. R. 6 E.  
21.70 a W. Wood 10 in. diam.  
40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
a Beech 10 in. diam. to S 15 W. 36 lks.  
a W. Ash 12 " " " N. 60 E. 29 "  
59.85 a W. Wood 12 " "

410 T. 23 N. R. 6 E, 2<sup>nd</sup> Mer. Indiana,  
ch. bk.

80.00 Set post Cor. to Sec. 12 & 13 p. wh  
a Beech 10 in. diam. to N 32 W. 49 lbs. &  
a Ho 10 " " " " 32 E. 56 "

Land full fine state rich  
clay soil - Beech, Sugar, Hickory, Ash,  
Elm, Maple, Lym. Ironw. W & B. Oak  
White Wood &c -

N. 10<sup>th</sup> On E. Bounded by Sec. 12 & 23 N. R. 6 E.

17.50 a Beech 10 in. diam.

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 10 in. diam. to 42 E. 16 lbs.

a Ho 10 " " " " N 33 W. 26 "

74.00 an Elm 14 " "

80.00 Set post Cor. to Sec. 1 & 12 p. wh.

an Elm 12 in. diam. to 44 W. 50 lbs.

a Lym. 6 " " " " N 80 W. 34 "

Land full fine state.  
Beech, Lym. Ironw. Sugar, W & B. Oak,  
B. Walnut, W. Wood, Boxwood, Hickory,  
Locust, Buckeye, W & B. Ash, Blue Ash,  
Spruce &c

N. 10<sup>th</sup> On E. Bounded by Sec. 1 & 23 N. R. 6 E.

20.30 an Elm 12 in. diam.

21.30 a Road E. & W.

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 12 in. diam. to 46 E. 30 lbs.

a W. Wood 12 " " " " 75 W. 23 "

50.50 a Beech 15 " "

80.20 Intersected Town Cor. at post

(See N. Bounded by for Vitruvius, -

Land full fine state  
Beech, W & B. Oak, Lym. Sugar, Elm, Ironw.  
Boxwood, W. Wood, Locust, Sugar, Elm  
Maple, Ash - P. Ash & Spruce -



411  
T. 23 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana,  
chs. Mts.

Surveyed in 1846 by  
John Mullitt  
Deputy Surveyor

---

Subdivision

Var. 4<sup>th</sup> 45 E.

N. 1<sup>st</sup> E. Return Section 33 & 34

9.12 a W. Ash 12 in. diam.

16.00 Clear Low B. Ash Land E. & W.

34.80 a Hickory 15 in. diam.

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

a Lym 10 in. diam. to N 20 E. 38 th.

a Beech 10 " " " 44 W. 26 "

67.30 Enter B. Ash Swale S. E. & N. W.

74.62 a Beech 8 in. diam.

80.00 Set post Cor. to Sec. 27, 28, 33 & 34 p. wh.

a B. Ash 6 in. diam. to 46 W. 20 th. &

a Ho 12 " " " 4.5 E. 14 "

Land here rich w/ first  
rate clay soil - Timbered with B.  
Walnut, Beech, Hickory, W. B. Ash,  
Oak, Sugar Lym, Elm, Sycamore,  
In Swale, mostly B. Ash - Magnolia,  
Spice and P. Ash

---

N. 89 30 E. On Random Return Sec. 27 & 34

4.00 Clear Swale N. & S.

12.00 a Road E. S. E.

25.00 Enter B. Ash Swale N. & S.

36.16 Interrupted E. Boundary of Reserve

20. W. N. of Old Cor.

Land here w/ first rate  
clay soil - Beech, Elm, B. Walnut,  
Sugar, Hickory, Maple, Lym, Pop. Oak  
& - Spice & P. Ash

---



# T. 23 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana.

ch. 46.

89.30 W. Cornuta Butte Sec. 27 x 34

15.50 a B. Ash 10 in. diam.

36.16 to Sec. Cor.

N. 15' W. Butte Section 27 x 28

7.00 Lean Swale E. & W.

10.00 a Road N. N. W.

19.80 an Elm 8 in. diam.

30.00 Enter Swale E. & W.

40.00 Set 2<sup>nd</sup> Sec. just p. wh.

a B. Ash 6 in. diam. N. 60 E. 15 W.

a Do 10 " " N. 63 W. 22 "

43.00 Lean Swale E. & W.

60.10 a B. Ash 10 in.

61.00 Enter B. Ash Swale E. & W.

63.00 Lean Do. E. & W.

70.00 a Road E. & W.

74.00 Bed of Stream N. E. & S. W.

80.00 Set just Cor. to Sec. 21, 22, 27, 28 p. wh.

a W. Ash 12 in. diam. N. 60 E. 13 W.

a B. Ash 12 " " " S. 25 W. 55 "

Land here rich rather wet  
Elm. B. Ash. Sycamore. Gum. Maple,  
W. B. Oak. W. Wood. B. Walnut. Sugar  
Beech &c. Spruce & P. Ash.

89.30 E. On Random Butte Sec. 22 x 27

5.00 Bed of Stream N. E. & S. W.

12.50 a Road N. E. & S. W.

38.00 Intersecta E. Boundary of Reserve

30 W. S. of Old Corner.

Land here wet fine rate  
clay soil - Timbered with Elm. W. B.  
Ash. W. Wood. Sycamore. B. Walnut,  
Spruce & P. Ash.

# T. 23 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana

413

Chs. Mts.

189.18 W. Corrected Betw. Sec. 22 & 27

Retook bearings

a W. Wood 20 in. diam. Old bearing

a Beech 4 " " N. 45 W. 31 Me. &

17.70 a Hickory 12 " "

38.00 to Sec. Cor.

N. 45 W. Between Sections 21 & 22

16.77 a W. Ash 12 in. diam.

18.00 Enter improper field 2.00 E. & W.

23.50 a House 200 W. of Line

25.50 Lean Field E. & W.

40.00 Set 2<sup>nd</sup> Section p.m. wh.

an Ironw. 8 in. diam. N. 71 W. 10 Me. &

a Ho 6 " " " N. 40 E. 16 "

60.10 a Beech 10 " "

80.00 Set 1<sup>st</sup> Cor. to Sec. 15, 16, 21, 22 p.m. wh.

a Beech 10 in. diam. N. 41 W. 37 Me. &

a Ho 10 " " " N. 37 W. 19 "

Land here pine & oak clay  
soil - Sycamore, Lym. Oak, W. B. Ash,  
Elm, Hickory, W. Beech, Sugar & Beech  
White wood, Ironw. & - Undergrowth,  
Spice & P. Ash -

189.30 E. On Random Betw. Sec. 15 & 22

25.00 Enter B. Ash Swale N. & S.

30.00 Lean Ho N. & S.

38.00 Intersected E. Boundary at Old Cor.

Land timber the same  
as last mile -

189.30 W. Corrected Betw. Sec. 15 & 22

a Lym 10 in. diam. N. 44 W. 53 Me. &

19.70 a W. Ash 12 " "

38.00 to Sec. Cor. Nov. 18, 1846. -

T. 23. N. R. 7 E. 2<sup>nd</sup> Mer. Indiana.

Chs. Lks

N. 15<sup>th</sup>. Between Sections 15 & 16.

20.00 a Beech 8 in. diam.

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 12 in. diam. B. N. 87 E. 49 lbs. &amp;

a Do 6 " " " N. 71 W. 35 "

59.10 a Do 10 " " "

80.00 Set post cor. to Sec. 9, 10, 15, 16 p. wh.

a Beech 8 in. diam. B. N. 24 E. 24 lbs. &amp;

a Do 10 " " " N. 52 W. 29 "

Lana lurl pine rate Clay  
 Soil - Beech. Sugar. Ironw. Elm. W. Wood.  
 Hick. W. & B. Ash. W. & B. Oak. Lym. Sycamore.  
 Buckeye &c - Spruce & P. Ash.

N. 9. 30<sup>th</sup> E. On Random Between Secs. 10 & 15

39.10 Intersected E. Boundary 15 lbs. S. of post

Lana lurl pine rate Clay Soil.

B. Walnut. W. &amp; B. Ash. Beech. Sugar.

Lym. Elm. Sycamore. W. Wood. Ironw. &amp;c.

W. &amp; B. Oak &amp;c - Spruce &amp; P. Ash

N. 9. 30<sup>th</sup> W. Cornuted Between Secs. 10 & 15

18.85 a B. Ash 8 in. diam.

39.10 to Sec. Cor.

N. 15<sup>th</sup> W. Between Sections 9 & 10

18.00 Enter Low wrl B. Ash Lana E. &amp; W.

20.40 an Elm 12 in. diam.

38.00 Lean Low wrl Lana

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 12 in. diam. B. N. 70 E. 32 lbs.

a Do 15 " " " N. 70 W. 47 "

60.20 a Lym 12 " " "

68.00 a Trail E. &amp; W.

80.00 Set post cor. to Secs. 3, 4, 9, 10 p. wh.

a Beech 10 in. diam. B. N. 68 E. 29 lbs. &amp;

415

T. 23 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana.  
 chs. lks.

a Beech 10 in. diam.  $\frac{1}{2}$  S. 51 W. 54 lks. x  
 Lane. Soil first rate Clay  
 Soil - Beech. W. Ash. Elm. Syc. Oak.  
 Sycamon. Ironw. W. Wood. Hick. Sugar.  
 Some P. Ash. & Spruce -

---

49.30' On Random Butte Sec. 3 & 10

31.00 Trail N. E. & S. W.

38.00 Enter Swale N. E. & S. W.

40.50 Intersection E. Boundary 12 lks. N. of  
 Old Corner

Lane. Soil first rate Clay  
 Soil - B. Walnut Hickory Elm. Syc.  
 Beech. Sugar. White-Wood. Ironw.  
 Sycamon. P. - P. Ash & Spruce -

---

49.30' Corrected Butte Sec. 3 & 10

a B. Ash 4 in. diam.  $\frac{1}{2}$  S. 47 W. 9 lks. x

a Do 6 " " " S. 1 W. 24 "

40.50  
 39.80  
 80.30

40.15 Set 2<sup>d</sup> Sec. post p. wh.

a Hickory 8 in. diam.  $\frac{1}{2}$  S. 64 W. 5 lks. x

a Do 4 " " " S. 24 W. 23 "

61.50 a Beech 10 " "

80.30 to Sec. Cor.

---

North Between Sections 3 & 4

6.00 a Road E. N. E.

19.80 a W. Wood 18 in. diam.

40.00 Set 2<sup>d</sup> Sec. post p. wh.

a Beech 10 in. diam.  $\frac{1}{2}$  S. 61 E. 33 lks. di.

a W. Beech 4 " " " S. 55 W. 16 " "

57.40 a Sugar 15 " "

79.10 Intersection N. Boundary 30 lks. W. of post

Set post at intersection p. wh.

a Maple 4 in. diam.  $\frac{1}{2}$  S. 35 W. 24 lks.



T. 23 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana,  
chw. lks.

a B. Ash 10 in. diam.  $\frac{1}{2}$  42 E. 32 lks. dis  
 Sand hole & not first rate Clay  
 Soil - B. Ash. Elm. Sycamore. Sugar.  
 Ironw? B. Walnut, W. Oak, Sycm.  
 Maple &c - Spruce & P. Ash  
 Nov. 19 1846.

## N. 25 E. Between Sections 32 &amp; 33

20.80 an Elm. 12 in. diam

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 12 in. diam.  $\frac{1}{2}$  70 E. 25 lks. dis.

a Do 10 " " " 53 W. 33 " "

45.00 Enter Low B. Ash Sand E. & W.

55.10 a Sycamore 18 in. diam

66.00 Leave Low B. Ash Sand E. & W.

80.00 Set post Cor. to Sec. 28. 29. 32. 33 p. wh.

a Beech 8 in. diam.  $\frac{1}{2}$  74 E. 25 lks. &

a Sycm 12 " " " 36 W. 26 "

Sand hole first rate Clay  
 Soil, Beech, Sugar, Sycm, Hickory, Oak,  
 Elm, B. Ash, B. Walnut, Ironwood,  
 White Wood &c - P. Ash, & Spruce -

N. 29. 30 E. On Random Betw<sup>th</sup> Sec. 28 & 33

30.00 Enter B. Ash Sand N. E. & W.

80.70 Interrupted N. & S. Line 28 lks. N. of post.

Sand hole & not but first rate  
 Clay Soil - B. Walnut, Oak, Hickory,  
 Small growth of B. Ash, Elm &c  
 Spruce & P. Ash

N. 29. 30 W. Corner Betw<sup>th</sup> Sec. 28 & 33

21.00 an Elm 18 in. diam.

40.35 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 10 in. diam.  $\frac{1}{2}$  40 W. 15 lks. &

a Sycamore 10 " " " 13 E. 13 "

417  
T. 23 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana.  
chs. lks

60.50 a Cherry 8 in. diam.  
80.70 to Sec. Co.

---

North Between Sections 28 & 29

21.38 a Blue Ash 12 in. diam.

38.50 a Road E. & W.

40.00 Vel 2<sup>nd</sup> Sec. post fr. wh.

a Beech 12 in. diam. b. 954 W. 30 lks. dr.

a Do 10 " " " 977 E. 25 " "

42.00 Enter Low B. Ash Land E. & W.

60.00 Leave Do E. & W.

69.50 a Hick. 12 in. diam.

80.00 Vel post Cor. to Secs. 20, 21, 28, 29 fr. wh.

a Beech 12 in. diam. b. 110 W. 28 lks. &

a Do 12 " " " 113 E. 30 "

Land level & rich fine rate-  
clay soil - Beech, W. B. Oak, Sugar,  
W. B. Ash, Hick., Irono., Sycamore,  
Lynn, Whitewood Elm, B. Walnut &  
Spec. of P. Ash.

---

189.30'E On Random Butte Secs. 21 & 28

80.50 Intersected N. & S. Line 10 lks. N. of post

Land soil & timber same as last mile

---

189.30'W Corrected Butte Secs. 21 & 28

20.70 a Beech 12 in. diam.

40.25 Vel 2<sup>nd</sup> Sec. post fr. wh.

a Beech 10 in. diam. b. 948 E. 10 lks. &

a Do 8 " " " 948 W. 28 "

59.50 a Do 12 " "

80.30 to Sec. Cor.

---

N. 20'E Between Sections 20 & 21

24.40 a W. Wood 30 in. diam.

40.00 Vel 2<sup>nd</sup> Sec. post fr. wh.

T. 23 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana.

chs. lks

a Beech 6 in. diam. P. N. 34 W. 24 lks. dia.  
 a Do 6 " " " 440 E. 24 " "  
 64.40 a Do 12 " "  
 70.00 Enter Low wrl Land E. & W.  
 80.00 Set post Cor. to Sec. 16, 17, 20, 21 p. wh.  
 a B. Ash 8 in. diam. P. N. 33 W. 20 lks. &  
 a Maple 15 " " " N. 67 E. 54 "  
 Land well rich first rate  
 clay soil - B. Walnut, Hickory, Gum,  
 Elm, Sycamore, Sugar, W. Wood,  
 Ironw. W. B. Ash, Maple &c -

N. 89.30 E. On Random Butte. Sec. 16 & 21  
 23.00 Clear B. Ash Land S. E. & N. W.  
 80.80 Intersusda N. Y. Line 28 lks. S. of post  
 Land well rich first rate  
 clay soil - Beech Elm, Gum, B.  
 Walnut, Oak, Sugar, Beech, Maple,  
 W. Wood, Ironw. Hickory &c -  
 Spruce, P. Ash &c -

N. 89.30 W. Cornetted Butte. Sec. 16 & 21  
 22.00 a W. Wood 30 in. diam.  
 40.40 Set 2<sup>nd</sup> Sec. post p. wh.  
 a Beech 6 in. diam. P. 420 E. 13 lks. &  
 a Do 10 " " " N. 85 W. 24 "  
 51.70 a B. Ash 10 " "  
 80.80 to Sec. Cor. Nov. 20. 1846

N. 25 E. Between Sections 16 & 17  
 22.15 an Elm 12 in. diam  
 40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
 a B. Ash 8 in. diam P. 449 E. 25 lks. &  
 an Elm 15 " " " N. 30 W. 18 "  
 45.00 Clear B. Ash Low Land E. & W.  
 56.75 a Beech 10 in. diam.



419

T. 23 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana.  
ch. lks.

80.00 Set post Cor. to Secs. 8, 9, 16, 17. p. wh.  
a Beech 10 in. diam. p. S 32 W. 30 lks. dis.  
a Do 15 " " " N 40 E. 60 " "

Lana hrd first half mile Low  
B. Ash & Elm Lana. remainder timb<sup>er</sup>  
with Beech. Sugar. Hick. W. Wood.  
Synn. Ironw. B. Walnut. W. Ash.  
P. Ash & Spruce

N. 89.30 E. On Random Betw. Secs. 9 & 16.

80.45 Intersected N. 89.30 E. Line 40 lks. N. of post  
Lana timb<sup>er</sup> same as  
last mile

N. 89.30 W. Cornelia Betw. Secs. 9 & 16

21.60 a Beech 12 in. diam.

40.22 1/2 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 10 in. diam. p. S 30 E. 27 lks. dis.

a Do 15 " " " S 50 W. 60 " "

60.20 a W. Oak 40 " "

80.45 to Sec. Cor.

N. 10' E. Between Section 8 & 9

23.75 a Beech 10 in. diam

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 6 in. diam. p. S 53 W. 33 lks. dis.

a Do 10 " " " S 78 E. 12 " "

58.10 a Sugar 18 " "

80.00 Set post Cor. to Secs. 4, 5, 8, 9. p. wh.

a Beech 10 in. diam. p. N 70 W. 35 lks. dis.

a Do 10 " " " N 63 E. 27 " "

Lana hrd pine & clay soil  
Beech. Sugar. Hick. Elm. Synn. W. & B.  
Oak. W. & B. Ash. W. Wood. B. Walnut.  
Ironw. — Spruce & P. Ash.



S 23 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana.

Chas. Allen

N 89° 30' E. N. Random Betw<sup>n</sup> Secs. 4 & 9.

35.00 a Road E. S. E.

38.00 Same N. E.

45.00 Same S. E.

64.00 Same N. E.

79.80 Interrupted N. S. Line at post  
Land Laid first rate - Clay  
Soil - Beech. Oak. Sugar. Ironw<sup>d</sup>. Elm.  
Sycam. W. & P. Ash. Some Spruce & P. Ash.N 89° 30' W. Corrected Betw<sup>n</sup> Secs. 4 & 9

19.60 a Birch 12 in. diam.

39.90 S. E. 2<sup>nd</sup> Sec. post p. w. h.

a Birch 10 in. diam. N. 33 E. 28 lbs. dia

a Do 12 " " " N 46 W. 35 " "

59.10 a Birch 12 " "

79.80 to Sec. Cor.

North Betw<sup>n</sup> Sections 4 & 5

5.00 a Road E. &amp; W.

20.20 a Birch 10 in. diam

40.00 S. E. 2<sup>nd</sup> Sec. post p. w. h.

a Birch 15 in. diam. N. 45 E. 27 lbs. dia

a W. Ash 12 " " " N 23 W. 36 " "

50.00 Enter Low-w. P. Ash. Land E. &amp; W.

80.50 Interrupted N. Boundary at post p. w. h.

an Elm 12 in. diam. N. 27 W. 12 lbs. dia

a Do 18 " " " N 68 E. 29 " "

Land Laid rich Clay Soil -  
Beech. Sugar. Sycam. Ironwood. Hickory.  
Sycam. - Spruce & P. Ash.  
Last 30.00 P. Ash & Elm.

Nov. 21. 1846

North Betw<sup>n</sup> Sections 31 & 32

18.40 a W. Wood 30 in. diam

421

T. 23 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana

chs. lks.

40.00 Set 2<sup>d</sup>. Sec. 102 p. wh.  
a Beech 12 in. diam. B. 18 W. 30 lks.  
a Sugar 8 " " " N. 73 E. 8 "

56.80 a W. Oak 20 " "

80.00 Set 102 Cor. to Sec. 29, 30, 31, 32 p. wh.  
a Beech 10 in. diam. B. 17 1/4 W. 59 lks. dir.  
a W. Ash 12 " " " N. 63 E. 83 " "

Land level first rate clay soil  
Beech, B. Walnut, Sugar, White Wood  
Irono<sup>e</sup>, Lym. Buckeye, Elm, Hickory,  
Sycamore, W. & B. Oak, W. B. & Blue, Ash, -  
Spice & P. Ash

---

N. 89.30 E. On Random B. 10<sup>th</sup>. Sec. 29 x 32  
56.50 a Stream 8 lks. wide cr. Northw<sup>th</sup>  
Muddyish - a wet weather stream  
80.26 Intersected N. 9. 1<sup>st</sup> Sec. 30 lks. N. of 102  
Land level first rate clay soil  
Timber same as last mile

---

N. 89.30 W. Cornered B. 10<sup>th</sup>. Sec. 29 x 32  
8.70 a Beech 8 in. diam.  
40.13 Set 2<sup>d</sup>. Sec. 102 p. wh.  
a Beech 8 in. diam. B. N. 64 E. 18 lks. &  
a Do 6 " " " N. 14 W. 16 "

42.47 a Do 8 " "

80.26 to Sec. Cor.

---

N. 89.30 W. On Random B. 10<sup>th</sup>. Sec. 30 x 31  
42.00 Enter B. Ash & Maple Swamp N. 9.  
62.00 Leave Do N. 9.  
82.90 Intersected W. Boundary, 18 lks. N. of 102  
Land level except Swamp,  
first rate - rather wet - clay soil. Timber  
Beech, Elm, B. Walnut, Lym. Sycamore,  
Sugar, W. Wood, Irono<sup>e</sup> - Spice & P. Ash

# J. 23 N. R. E. 2<sup>nd</sup> Mex. Indiana.

ch. lks.

189.306 Cornelia Betto. Sec. 30 & 31

a Beech 6 in. diam. to N 34 E. 17 lks. dis.

a B. Ash 6 " " " 4.54 E. 27 " "

20.00 a W. Ash 10 " "

42.90 Set 2<sup>nd</sup> Sec. from pr. wh.

a Beech 8 in. diam. to N 55 W. 12 lks. dis.

a Do 6 " " " 4.6 E. 10 " "

69.00 a Blue Ash 10 " "

82.90 to Sec. Cor.

North Return Sections 29 & 30

5.00 Enter Low B. Ash Land E & W.

19.10 a B. Oak 24 in. diam

35.00 a Stream 10 lks. wide co. N. E.

(Wet weather) Sluggish

40.00 Set 2<sup>nd</sup> Sec. from pr. wh.

a Elm 10 in. diam. to S 70 W. 13 lks. &

a Do 8 " " " 4.52 E. 23 "

43.00 Leave Low wet Land E & W.

58.75 a W. Wood 15 in. diam.

80.00 Set from Cor. to Sec. 19, 20, 29, 30 pr. wh.

a Beech 8 in. diam. to S 63 E. 55 lks. &

a Do 6 " " " 4.60 W. 15 "

Land here rich first rate  
clay soil - Elm, W. B. Ash, Beech,  
Sycam. Ironw. Sugar, W. Wood, Hick,  
B. Walnut, W. B. Oak. Spin  
Thorn & P. Ash.

189.306 On Random Betto. Sec. 20 & 29

2.00 a Road E. S. E. of N. W.

23.00 a Run 8 lks. wide co. Northw.

80.40 Intersusita N. S. Line 21 lks. N. of pr.

Land here rich first rate  
clay soil - Elm, Sycam. B. Walnut,  
Sugar, Ironw. W. B. Ash, Hick.

423

T. 23 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana

du. lks.

W. Wood, W. B. Oak, Sycamore,  
Buckeye &c. Spruce & P. Ash.

189.30 W. Corrected Betw<sup>th</sup> Secs. 20 & 29.

20.92 a W. Oak 15 in. diam.

40.20 S. L. 2<sup>nd</sup> Sec. post pr. wh.

a B. Ash 10 in. diam. N. 72 E. 19 lks. di.

a do 6 " " " 4.45 W. 33 " "

60.20 a Buckeye 8 " "

80.40 to Sec. Cor. Nov. 22 1846.

189.30 W. Q. Random Betw<sup>th</sup> Secs. 19 & 30

47.00 a Road E. N. E.

53.00 Same E. S. E.

62.00 Sluggish wet weather Stream 10 Mer.  
wide, current N. W.

82.20 Intermittent W. Boundary. 29 lks N. of prior  
Lane had fine rate - Clay Soil  
Beech, B. Walnut, Hickory, Coffee nut,  
Cherry, Locust, Buckeye, Sycam. W. Wood,  
Ironw<sup>ood</sup>, Sugar, W. B. Oak, Box, Wood  
W. B. & Blue - Ash, Sycamore, Mulberry,  
&c - Spruce & P. Ash -

189.30 E. Corrected Betw<sup>th</sup> Secs. 19 & 30

a Beech 8 in. diam. N. 85 E. 16 lks. &

a do 10 " " " N. 50 E. 43 "

20.10 a Beech 10 " "

42.20 S. L. 2<sup>nd</sup> Sec. post pr. wh.

a W. Oak, 24 in. diam. N. 18 W. 12 lks,

an Ironw<sup>ood</sup> 6 " " " 4.8 E. 18 "

59.70 a Beech 12 " "

82.20 to Sec. Cor.

North Between Sections 19 & 20

3.50 a Road E. S. E.



T. 23 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana.  
ch. 6k.

- 23.30 a B. Walnut 30 in. diam.  
40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
a Buckeye 6 in. diam. & 460 lb. 15 lbs. &  
a W. Beech 8 " " " N. 66 W. 32 "  
47.50 Shaggyish w. weather Stream 15 lbs.  
wide corner N. N. W.  
41.00 a W. Oak 30 in. diam.  
80.00 Set post Cor. to Sec. 17, 18, 19, 20 p. wh.  
a Beech 12 in. diam. & 477 lb. 25 lbs.  
" 10 " " " N. 3 E 30 "  
Land here first rate - Clay  
Soil - Beech, W. & B. Oak, Gum, Sugar,  
Elm, Ironb. W. Wood, Buckeye, Mul-  
berry &c - Spruce & P. Ash.

- 189.30<sup>1/2</sup> On Random Betw. Sec. 17 & 20  
60.00 Enter B. Ash Land N. & S.  
80.65 Intersected N. & S. Line at post  
Land timber &c same as last mile -

- 189.30<sup>1/2</sup> Corrected Betw. Sec. 17 & 20  
20.00 a Buckeye 10 in. diam.  
40.32<sup>1/2</sup> Set 2<sup>nd</sup> Sec. post p. wh.  
a Maple 8 in. diam. & 476 lb. 11 lbs. &c.  
a W. Ash 12 " " " N. 9 W. 21 " "  
60.60 a W. Oak 24 " "  
80.65 to Sec. Cor.

- 189.30<sup>1/2</sup> On Random Betw. Sec. 18 & 19  
9.00 a Shaggyish w. weather Stream co. North  
56.00 Shaggyish Stream 8 lbs. wide co. S. E. W.  
81.20 Intersected W. Boundary 20 lbs. N. of post  
Land sure rich firm rate -  
Clay Soil - Beech, Sugar, Elm, W. & B. Ash,  
Maple, Gum, W. Wood, Ironb. Buckeye  
Sycamore &c

425

T. 23 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana.

chs. lks.

- N. 89.30 E. Corrected Bttr. Sed. 18 & 19  
 a Beech 6 in. diam. N. 46 E. 15 lks. &  
 a Do 6 " " " N. 53 E. 22 "  
 21.20 a W. Ash 18 " "  
 41.20 Set 2<sup>nd</sup> Sec. post pr. wh.  
 a Beech 6 in. diam. N. 48 E. 23 lks. dis.  
 a Do 12 " " " N. 7 E. 16 " "  
 59.20 a Hickory 10 " "  
 81.20 to Sec. Cor.

- North Between Sections 17 & 18  
 18.80 a Lym 12 in. diam.  
 40.00 Set 2<sup>nd</sup> Sec. post pr. wh.  
 a Sycamore 36 in. diam. N. 54 E. 10 lks. &  
 a W. Oak 12 " " " N. 71 W. 18 "  
 40.50 a Run 10 co. N. E.  
 57.80 a Beech 10 in. diam.  
 80.00 Set post Cor. to Sed. 7, 8, 17, 18 pr. wh.  
 a Beech 15 in. diam. N. 33 W. 15 lks. &  
 a Do 8 " " " " 56 E. 26 "  
 Land here first rate Clay Soil  
 Beech, B. Walnut, Hickory, Lym. Ironw.  
 Mulberry, Buckeye, Sycamore, W. B. & Blue  
 Ash, Sugar, W. Beech, Butternut, W. Wood, &  
 Spice & P. Ash.

- N. 89.30 E. On Random Bttr. Sed. 8 & 17  
 25.00 a Run 8 lks. wide Co. N. by E.  
 80.50 Interrupted N. P. Line 23 lks. S. of post  
 Land timber same as last mile

- N. 89.30 W. Corrected Bttr. Sed. 8 & 17  
 21.00 a B. Ash 10 in. diam.  
 40.25 Set 2<sup>nd</sup> Sec. post pr. wh.  
 a Beech 6 in. diam. N. 20 W. 8 lks. dis.  
 a B. Ash 10 " " " N. 5 W. 20 " "

T. 23 N. R. 7 E. 2<sup>nd</sup> Mer. Indianee  
chr. lks.

72.60 a Beech 10 in. diam.

80.50 to Sec. Con. Nov. 23 - 1846.

N. 89.30 W. On Random Betw. Sec. 7 & 18

81.52 Intersected W. Boundary 17 lks N. of post

Land Level first rate Clay  
soil Beech. Sugar. Sycamore. Ironw.  
W. Wood. Sydn. B. Walnut fr. —  
Spice & P. Ash.

N. 89.30 E. Cornuta Betw. Sec. 7 & 18

a Beech 12 in. diam. N. 55 E. 51 lks.

a Sugar 15 " " " 4.30 E. 43 "

23.00 a Beech 8 " "

41.52 1st 2<sup>nd</sup> Sec. post p. wh.

a Beech 8 in. diam. N. 66 W. 38 lks.

" 6 " " " 4.48 E. 22 "

46.25 a B. Ash 10 " "

81.52 to Sec. Con

North Between Sections 7 & 8

20.00 a B. Oak 15 in. diam.

40.00 1st 2<sup>nd</sup> Sec. post p. wh.

a Beech 10 in. diam. N. 56 W. 12 lks.

a 10 " " " N. 56 E. 45 "

60.80 a 15 " "

80.00 1st post - Cor. to Sec. 5, 6, 7, 8 p. wh.

a Beech 10 in. diam. N. 78 E. 18 lks.

a 8 " " " 4.80 W. 29 "

Land level first rate Clay soil  
Beech. Sugar. W. B. Oak. Ironwood.  
W. Wood Sycamore - Spice & P. Ash.

N. 89.30 E. On Random Betw. Sec. 5 & 8

30.00 a Run 20 lks. view co. N. N. E.

80.40 Intersected N. G. Line 14 lks N. of post

427

T. 23 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana,  
Ch. Co.

Land here rich firm rate  
Clay Soil - W. & B. Oak, Beech, Lym.,  
W. Wood, Ironw. Sugar, W. & B. Ash, B.  
Walnut &c. - Elm & P. Ash &c. -

---

489.30 W. Corrected Btwn. Secs. 5 & 8.  
21.50 an Ironwood 8 in. diam.  
40.20 1st 2<sup>nd</sup> Sec. post p. wh.  
a Beech 8 in. diam. B. N. 10 E. 9 lbs. dia.  
a Do 12 " " " 4.48 W. 58 " "  
60.50 a Beech 10 " "  
80.40 to Sec. Cor.

---

489.30 W. On Random Btwn. Secs. 6 & 7  
7.50 a Run 10 lbs. wide co. Northw. by  
81.70 Intersected W. Boundary. as post  
Land first  $\frac{3}{4}$  mile here fine  
rate Clay Soil - Beech, Sugar, Elm, Ironw.  
W. Wood, Lym., Buckeye &c. - Last  $\frac{1}{4}$   
mile rather wet - but fine rate - W. & B.  
Ash, Elm, Lym., Maple, Sycamore.

---

N. 89.30 E. Corrected Btwn. Secs. 6 & 7  
a Sugar 6 in. diam. B. N. 23 E. 22 lbs. x  
a Beech 10 " " " 4.77 E. 52 "  
26.99 a W. Wood 15 " "  
41.70 1st 2<sup>nd</sup> Sec. post p. wh.  
a Beech 12 in. diam. B. N. 10 W. 51 lbs.  
a Do 15 " " " 4.14 W. 11 "  
72.14 a Do 12 " "  
81.70 to Sec. Cor.

---

N. 15 E. Between Sections 5 & 6,  
12.00 Shaggyish wet weather Stream 8 lbs.  
with coarse water  
18.50 a Road N. W. & S. E.



T. 23 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana.  
ch. lks.

- 23.30 a W. Oak 30 in. diam.  
35.00 a Stream Co. East by 10 lks. wide  
and enter low B. Ash Land  
40.00 1/2 2<sup>nd</sup> Sec. from p. wh.  
a W. Oak. 6 in. diam. B. 43 W. 17 lks.  
an Elm 12 " " " N. 66 E. 25 "  
62.00 a Hickory. 10 " "  
65.00 Leave Low B. Ash Land E. N. E.  
80.70 Interrupted N. Boundary at from p. wh.  
a Beech 15 in. diam. B. 44 W. 60 lks  
a Do 12 " " " 48 E. 52 "  
Land well rich, rather  
wet, first rate clay soil - Beech,  
Elm, Symm. W. B. Oak. W. Wood,  
Water Beech. Ironw. Maple  
Sugar. - P. Ash & Spruce  
Nov. 24, 1846.

### General Description

The surface of this  
Township is level - Soil first rate,  
Good farming Land - Timbered  
with Beech, Sugar, Ironw. Maple,  
Symm. Elm. W. B. Oak, Hickory,  
B. Walnut, Sycamore, Locust,  
Mulberry, Coffinw. W. B. & Blue  
Ash, with Undergrowth of  
P. Ash & Spruce.

I James H. Mullett,  
do solemnly swear, that in pursu-  
ance, of a Contract betw. Lucius  
Lyons, Surveyor General of the  
United States for the States of  
Ohio, Indiana and Michigan

429

T. 23 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana,

bearing date the 10<sup>th</sup> of July 1847. s  
and John Mullitt Depy. Surveyor.  
and in strict conformity to the  
Laws of the United States and the  
Instructions of the said Surveyor  
General: I have Surveyed and  
Subdivided into Sections, Townships  
N<sup>o</sup> 23 North, Range N<sup>o</sup> 7 East, in  
Indiana: And I do further  
swear, that the foregoing are the  
true and Original Field Notes  
of the said Survey and Sub-division.  
Executed as aforesaid, by me for  
the said John Mullitt

Geo. H. Mullitt  
Depy. Surveyor.

---

Sworn and subscribed before  
me this 17<sup>th</sup> day of March 1847

A. T. Packus  
Justice of the Peace  
Wayne County  
Michigan.

I certify that the foregoing  
Transcript of the Field Notes of  
Township N<sup>o</sup> 23 North, in Range  
N<sup>o</sup> 7 East, 2<sup>nd</sup> Meridian Indiana  
has been compared with the  
original notes in this Office, and  
found to be correct  
Surveyor General's Office  
Detroit Nov. 1. 1849.

Lucius Lyon,  
S<sup>ur</sup>. Genl